

# REIKÄHIONTA LIUSKAPYÖRÖT

KARALIUSKALAIKAT SIVULLA 22.  
FLEX-HONE HARJAT SIVU 70-71.

SARJA	RPM	REIÄN KOKO mm	KARKEUS	
			€ / kpl A60	€ / kpl A120
B-305	25,000	19 - 25		11,70
B-405	22,000	25 - 40	24,35	22,10
B-410	20,000	40 - 50	25,20	22,90
B-415	16,000	54 - 63	26,55	24,10
B-420	15,000	63 - 75	27,85	25,30
B-425	10,000	80 - 100	28,70	26,05
B-810	16,000	50 - 63	42,25	41,10
B-815	15,000	66 - 75		43,30
B-820	10,000	79 - 100		45,45
B-830	8,000	133 - 149	55,90	



## KARAT LIUSKAPYÖRÖILLE, 6,4MM


KARA	SARJA	PITUUS	TUOTE NRO	€ / kpl
B-300	B-305	30mm	M54182A	12,75
B-400	B-405-425	30mm+ADAPTERI 40mm	M54171A	15,30
B-800	B-810-830	30mm	M54184A	11,70



## PITKÄT KARAT, 6,4MM



SOVELTUVAT B-800 SARJALLE JA MYÖS B-400 ADAPTERILLE

PITUUS X PAKSUUS mm	MALLI	TUOTE NRO	€ / kpl
100 X 6,4 X 1/4" ULKOKIERRE	EM-144	M54185A	10,30
150 X 6,4 X 1/4" ULKOKIERRE	EM-146	M54186A	11,40
200 X 6,4 X 1/4" ULKOKIERRE	EM-148	M54187A	13,90



# 54 FLEX-HONE SISÄHIONTAAN

HIOM HIOMA-AINE: PIIKARBIDI




KARKEUDET: 120 SC JA 180 SC

TYYPPI	mm	A MAX.	A MIN.	B	C	D	€/kpl
BC	4	4	3,5	19	150	1,4	52,85
BC	4,5	4,5	4	19	150	1,4	52,85
BC	4,75	4,8	4,2	19	150	1,9	52,85
BC	5	5	4,5	50	200	3	49,50
BC	5,5	5,5	5	50	200	3	50,40
BC	6,4	6,4	5,5	50	200	3	33,20
BC	7	7	6	50	200	3	33,20
BC	8	8	7	50	200	3	35,15
BC	9	9	8	50	200	3	36,60
BC	10	10	9	50	200	3	37,35
BC	11	11	10	50	200	4	38,20
BC	12,7	12,7	11	50	200	4	39,65
BC	14	14	12	65	200	5	39,90
BC	16	16	14	65	200	5	42,25
BC	18	18	16	65	200	5	43,30
BC	19	19	17	65	200	5	44,55
BC	20	20	18	65	200	5	44,70
BC	22	22	20	65	200	7	44,90
BC	23,8	23,8	22	65	200	7	46,50
BC	25	25	22	65	200	7	47,85
BC	29	29	25	65	200	7	50,30
BC	32	32	28	65	200	7	54,30
BC	35	35	30	65	200	7	55,65
BC	38	38	32	65	200	7	59,80
BC	41	41	36	65	200	7	59,80
BC	45	45	38	65	200	7	62,60
BC	51	51	44	65	200	7	64,80
BC	54	54	48	76	200	7	67,60
BC	57	57	51	65	200	7	70,30
BC	64	64	57	65	200	7	75,65
BC	70	70	64	65	200	7	83,60
BC	73	73	67	76	200	7	90,25
BC	76	76	70	65	200	7	96,90
GB	83	83	76	80	340	9	106,65
GB	89	89	83	80	340	9	113,75
GB	95	95	89	80	340	9	122,50
GB	105	105	95	80	340	9	130,45
GB	118	118	105	80	340	9	145,30
GBD	101	101	89	150	450	9	192,64
GBD	108	108	95	150	450	9	205,95
GBD	114	114	102	150	450	7	219,15
GBD	127	127	114	150	450	9	249,40
GBD	140	140	127	150	450	9	273,65



TYYPPI	mm	A MAX.	A MIN.	B	C	D	€/kpl
GBD	152	152	140	150	450	9	296,50
GBD	165	165	152	150	450	9	319,55
GBD	178	178	165	150	450	9	348,40
GBD	190	190	178	150	450	9	383,10
GBD	203	203	190	150	450	9	418,70
GBD	216	216	203	220	865	13 1)	743,10
GBD	228	228	216	220	865	13 1)	751,00
GBD	241	241	228	220	865	13 1)	759,00
GBD	254	254	241	220	865	13 1)	767,00
GBD	267	267	254	220	865	13 1)	990,50
GBD	280	280	267	220	865	13 1)	1001,70
GBD	292	292	280	220	865	13 1)	1018,50
GBD	305	305	292	220	865	13 1)	1026,50
GBD	318	318	305	220	865	16 1)	1542,00
GBD	330	330	318	220	865	16 1)	1559,50
GBD	343	343	330	220	865	16 1)	1666,50
GBD	355	355	344	220	865	16 1)	1686,00
GBD	381	381	355	220	865	16 1)	2118,00
GBD	406	406	381	220	865	16 1)	2177,00
GBD	432	432	406	220	865	16 1)	2826,00
GBD	457	457	432	220	865	16 1)	2899,00
GBDX	483	483	457	320	900	19	
GBDX	508	508	483	320	900	19	
GBDX	533	533	508	320	900	19	
GBDX	559	559	533	320	900	19	
GBDX	584	584	559	320	900	19	
GBDX	610	610	584	320	900	19	
GBDX	635	635	610	320	900	19	
GBDX	660	660	635	320	900	19	
GBDX	686	686	660	320	900	25	
GBDX	711	711	686	320	900	25	
GBDX	737	737	711	320	900	25	
GBDX	762	762	737	320	900	25	
GBDX	787	787	762	320	900	25	
GBDX	813	813	787	320	900	32	
GBDX	838	838	813	320	900	32	
GBDX	864	864	838	320	900	32	
GBDX	889	889	864	320	900	32	
GBDX	914	914	889	320	900	32	

1) = KARA 6-KULMAINEN

**RAEKARKEUS VALITAAN SEURAAVASTI**

120 GRIT.	RA 0,6...0,8
180 GRIT.	RA 0,4...0,6
240 GRIT.	RA 0,4...0,2
320 GRIT.	RA 0,2...0,09
400 GRIT.	RA 0,09...0,06
600 GRIT.	RA 0,06...0,02

SUOSITELTU LEIKKUUNOPEUS 500-1200 RPM / 60-120 ISKUA.  
NESTEEKSI SUOSITELLAAN KEVYTTÄ MOOTTORIÖLJYÄ 10-30W,  
MUTTA MYÖS VETTÄ TAI EMULSIOTA VOIDAAN KÄYTTÄÄ.

SAATAVANA MYÖS KARKEUDET 20, 40, 60, 80, 240, 320, 400, 600 JA 800